

Hand Operated Curtain Track System

Silent Gliss[®] 1221



Product Information

- Robust wall fix hand operated curtain track for medium weight curtains in contract applications
- Ideal and widely used for hotels, schools, hospitals, etc.
- Outstanding gliding properties as glider moves on profile edge, minimizing friction
- The eye of the glider is thrown forward to avoid friction with curtain heading yet remains in perfect balance
- The quick-clip gliders 3933 can be easily added or removed without taking track down or apart
- Discreet direct to wall fixing to all surfaces
- Standard colour: white powder coated
- Standard length of the profiles is 5m or 6m
- System 1221 is not pre-drilled to avoid impairing appearance from the room





Profile Information



Specification Guide - download from www.silentgliss.co.uk (password required).

Silent Gliss 1221 hand drawn curtain track in white powder coated aluminium. Fix track to wall with self-drilling wood screws. Special gliders 3933 should be fixed at 14/m to run on back rims of channel so as to keep curtain hanging upright. Fix with secure end covers 3984 at either end.

Fitting Information

Fixing points



The fixing distances above are meant as a guide only: in practice they may vary depending on surface and curtain weight.





Quick-clip glider 3933 offers easy clipping in and out of profile.

Fitting Options

Direct to wall fixing





Standard Accessories

1221	Profile	3933	Glider 3933 in strip form	
3984	Endcover			

Optional Accessories

0688	Wood screw (self drilling)	CHIMINIAN CHINA CH	3942	Endstop	
10430	Draw rod with hook, 50cm		10431	Draw rod with hook, 75cm	
10432	Draw rod with hook, 100cm		10433	Draw rod with hook, 125cm	
10434	Draw rod with hook, 150cm				

Sets

3947	Pair of Magnetic Gliders	3945	Magnetic glider (part of set 3947)	1	
		3946	Magnetic glider (part of set 3947)	1	

Useful Information and Sewing Accessories



Diagram uses standard 3933 glider and is measured to the inside of the glider eye. For optional gliders substitute dimensions below: 3945/3946 = 8mm

3562	Standard tape		3582	Hook	P
3599	Hook	P			



1221