


# SG 2910

---



## PRODUCT INFORMATION


- **Operation:** chain
- **Range:** S - L
- **Fitting:** ceiling, wall, recess
- **Colours:** white RAL 9016, black RAL 9005, anodised aluminum; special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection

### **Features:**

- Optimised light control
- Mono controlled
- Louvre width: 127 mm
- Vertical Waves

# SYSTEM SPECIFICATIONS


## A. SYSTEM DIMENSIONS



5 m



Single stack: 90 cm  
Pair stack: 1.2 m





4 m



320 g per louvre


### Stack sizes

|  |  |  |          |          |          |          |          |          |          |          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
|                                                                                   |                                                                                   | 100                                                                                | 150      | 200      | 250      | 300      | 350      | 400      | 450      | 500      |
| 127 mm                                                                            |  | 30<br>23                                                                           | 37<br>27 | 44<br>30 | 51<br>34 | 58<br>37 | 65<br>41 | 72<br>44 | 79<br>48 | 86<br>51 |


(cm)

## B. PROFILE

### Profile information




**SG 11863**  
Profile




**SG 11866**  
Recess profile

## C. HOW TO MEASURE



- A: System width
- B: System height
- C: Distance between floor and fabric
- D: Chain height
- E: Safety retainer SG 10731 min. 150 cm above floor

Light gap



**D. SPECIFICATION**  
**TEXT**


**Silent Gliss SG 2910 Chain Operated Vertical Blind System.** Supplied made to measure comprising aluminium profile SG 11863 [powder coated white / powder coated black / silver anodised], mono control stainless steel chain SG 4845, 127mm louvre rotation elements SG 11793. Fitted [top fix with clamp SG 3033 / SG 3034] / [face fix with smart fix brackets SG 11202 - SG 11204 and clamp SG 3004] / [face fix with square smart fix brackets SG 11212 - SG 11214 and clamp SG 3004 / face fix with universal smart fix brackets SG 11154 - SG 11156 and clamp SG 3004 / recess fix with profile SG 11866, wedge SG 5118, recess mask SG 11886]. Fabric supplied from Silent Gliss fabric range.

**FITTING**

**A. FITTING**  
**INFORMATION**


For detailed fitting information, visit the Silent Gliss website.

Fixing points




**B. CEILING FITTING**


Clamp SG 3033 / SG 3044



| Min. wall distance louvres | X mm |
|----------------------------|------|
| 127 mm                     | 85   |
| Vertical Waves 125 mm      | 140  |




**SG 3033**  
Clamp




**SG 3044**  
Clamp

C. WALL FITTING


Smart Fix



**Smart Fix SG 11202 - SG 11204 and clamp SG 3044:**  
Screw SG 10395 (M4x6) needed




**Square Smart Fix SG 11212 - SG 11214 and clamp SG 3044:**  
Screw SG 10395 (M4x6) needed



**Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3044:**  
Screw SG 10492 (M4x8) needed

| Min. wall distance standard louveres | X mm    |
|--------------------------------------|---------|
| SG 11202 / SG 11212                  | 92      |
| SG 11203 / SG 11213                  | 112     |
| SG 11204 / SG 11214                  | 142     |
| SG 11154                             | 110-130 |
| SG 11155                             | 132-160 |
| SG 11156                             | 182-210 |

| Min. wall distance Vertical Waves | X mm    |
|-----------------------------------|---------|
| SG 11204 / SG 11214               | 142     |
| SG 11155                          | 140-160 |
| SG 11156                          | 182-210 |




**SG 3044**  
Clamp




**SG 10395**  
Pan head screw M4x6




**SG 10492**  
Pan head screw M4x8




**SG 11202**  
Smart Fix 100 mm




**SG 11203**  
Smart Fix 120 mm




**SG 11204**  
Smart Fix 150 mm




**SG 11212**  
Square Smart Fix 100 mm




**SG 11213**  
Square Smart Fix 120 mm




**SG 11214**  
Square Smart Fix 150 mm



**SG 11154**  
Universal Smart Fix 120 mm




**SG 11155**  
Universal Smart Fix 150 mm




**SG 11156**  
Universal Smart Fix 200 mm

D. RECESS FITTING


Recess profile  
SG 11866




| Min. wall distance louveres | X mm |
|-----------------------------|------|
| 127 mm                      | 85   |
| Vertical Waves 125 mm       | 140  |




Recess depth: 29 mm



SG 5118  
Wedge




SG 11866  
Recess profile






SG 11886  
Recess mask

SYSTEM OPTIONS


A. VERTICAL WAVES





Wall ending  
A: Wavy edge  
B: Straight edge










## B. STACKING VARIATIONS






A: Single stack in one direction  
B: Pair stack in two directions symmetrical  
C: Pair stack in one direction asymmetrical  
D: Pair stack in two directions asymmetrical  
E: Multiple stacking in one direction symmetrical or asymmetrical











# PARTS



## A. STANDARD PARTS

|                                                                                     |                                                |
|-------------------------------------------------------------------------------------|------------------------------------------------|
|    | <b>SG 3033</b><br>Clamp                        |
|    | <b>SG 4845</b><br>Bead chain metal ø 4.5 mm    |
|    | <b>SG 10731</b><br>Child safety retainer set   |
|    | <b>SG 11790</b><br>Pilot runner                |
|    | <b>SG 11793</b><br>Rotation element set 127 mm |
|   | <b>SG 11805</b><br>Chain drive                 |
|  | <b>SG 11813</b><br>Belt return                 |
|  | <b>SG 11837</b><br>Belt connector              |
|  | <b>SG 11838</b><br>Belt connector              |
|  | <b>SG 11844</b><br>Driving belt                |
|  | <b>SG 11845</b><br>Top clip 127 mm             |
|  | <b>SG 11847</b><br>Bottom weight 127 mm        |
|  | <b>SG 11851</b><br>Bottom link 127 mm          |
|  | <b>SG 11854</b><br>End stop                    |

|                                                                                   |                             |
|-----------------------------------------------------------------------------------|-----------------------------|
|  | <b>SG 11856</b><br>End stop |
|  | <b>SG 11863</b><br>Profile  |
|  | <b>SG 11871</b><br>Lock     |

## B. OPTIONAL PARTS

|                                                                                       |                                                |
|---------------------------------------------------------------------------------------|------------------------------------------------|
|    | <b>SG 2962</b><br>Connection bridge            |
|    | <b>SG 3044</b><br>Clamp                        |
|    | <b>SG 5118</b><br>Wedge                        |
|    | <b>SG 11154</b><br>Universal Smart Fix 120 mm  |
|    | <b>SG 11155</b><br>Universal Smart Fix 150 mm  |
|   | <b>SG 11156</b><br>Universal Smart Fix 200 mm  |
|  | <b>SG 11202</b><br>Smart Fix 100 mm            |
|  | <b>SG 11203</b><br>Smart Fix 120 mm            |
|  | <b>SG 11204</b><br>Smart Fix 150 mm            |
|  | <b>SG 11212</b><br>Square Smart Fix 100 mm     |
|  | <b>SG 11213</b><br>Square Smart Fix 120 mm     |
|  | <b>SG 11214</b><br>Square Smart Fix 150 mm     |
|  | <b>SG 11794</b><br>Rotation element set 100 mm |
|  | <b>SG 11849</b><br>Bottom weight 127 mm        |

|                                                                                  |                                   |
|----------------------------------------------------------------------------------|-----------------------------------|
|  | <b>SG 11852</b><br>Plate          |
|  | <b>SG 11866</b><br>Recess profile |
|  | <b>SG 11886</b><br>Recess mask    |