


## Panel Glide System

# Silent Gliss® 2740 Wave Panel



### Product Information

- Wave-shaped panels, perfectly suitable as window treatment or room divider
- RedDot Award winner 2017.
- Panels can be moved individually or connected.
- Easy click-in carrier for quick installation.
- For applications up to a height of 2.8m.
- Easy cleaning: easy removal and re-fixing of fabric due to Velcro tape.
- System supplied white.
- Wide range of fabrics.




2740

Supplied by

**SG-S** | Silent Gliss Spares  
Silent Gliss Systems

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528

## Profile Information




6010



Cannot be bent!

## How To Measure

### Panel Stacking



Stack Width:  
 2 panels: 560 mm  
 3 panels: 660 mm  
 4 panels: 760 mm  
 5 panels: 860 mm

Each subsequent panel +100 mm

## System Dimensions



2740



unlimited if  
 unconnected  
 6.05m if  
 connected  
 (max. 15 panels)



2.8m



1kg  
 incl. bottom bar per  
 panel

## Unconnected panels - overlapping and number of panels

System length in cm	Number of panels	Given overlapping in cm
100 - 136	3	18.1 - 0.1
137 - 181	4	14.9 - 0.2
182 - 226	5	11.2 - 0.2
227 - 272	6	9.1 - 0.1
273 - 317	7	7.5 - 0.1
318 - 363	8	6.4 - 0.0
364 - 408	9	5.6 - 0.1
409 - 453	10	5.0 - 0.1
454 - 499	11	4.5 - 0.0
500 - 544	12	4.1 - 0.1
545 - 590	13	3.8 - 0.0
591 - 635	14	3.4 - 0.0
636 - 680	15	3.2 - 0.1

Please contact Silent Gliss for additional panels for a larger overlap and for further system widths for unconnected panels.

## Connected panels - number of panels and total panel width

System length in cm	Number of panels	Width of all panels together (cm)
100 - 125	3	125
126 - 165	4	165
166 - 205	5	205
206 - 245	6	245
246 - 285	7	285
286 - 325	8	325
326 - 365	9	365
366 - 405	10	405
406 - 445	11	445
446 - 485	12	485
486 - 525	13	525
526 - 565	14	565
566 - 605	15	605



Maximum of 15 connected panels.



2740

## Fitting Options

### Ceiling fitting with clamp 3825



Distance between profiles: 15 cm

## Standard Accessories

3825 Clamp (35mm)



6010 Profile



6018 Endcover



11104 Carrier A (left opening)



11107 Bottom weight



11162 Click glider



## Optional Accessories

11109 Carrier B (right opening)




11161 Glider cord, 40 cm




2740

## Useful Measures

6018 Endcover



11109 Carrier B (right opening)



Supplied by



www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528

[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

[www.silentglissglobal.com](http://www.silentglissglobal.com)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 863571  
Fax: +44 (0) 1843 864503  
info@silentgliss.co.uk

Silent Gliss Global Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 874250  
Fax: +44 (0) 1843 874457  
info@silentglissglobal.com