

Decorative Curtain Poles
























Supplied by




SG-S SILENTGLISS SPARES
SILENTGLISS SYSTEMS

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528

Application Chart

Specification	Dimensions		Operation	Application	Profile	Features / Options				Fitting Options		Fitting Surfaces	System			
	Weight Range					Single Stack	Pair Stack	Profile Number	Dimensions in mm	Gliding Channel	Min. Bending Radius (mm)			Various Finalis / Midials available	Intermediate Pulley available	Wave Glider Cord
 kg				● ●	1003		3.7	150	●					● ● ● ● ●	1003 M Metropole	
 kg				● ●	6101		5.4	200		●				● ● ● ● ●	6100 M Metroflat	
 kg				● ●	6103		5.4	300	●		●			● ● ● ● ●	6130 M Metropole	
 kg				● ●	0700		5.4	500	●		●			● ● ● ● ●	6140 M Metropole	
 kg	6m	14kg		● ●	6106		5.4	300	●	●	●	●		● ● ● ● ●	6120 M Metropole	
 kg	6m	14kg		● ●	0701		5.4	600	●		●	●		● ● ● ● ●	6160 M Metropole	
 kg	10m			● ●	0871		5.4	—	●		●			● ● ● ● ●	6150 M Metropole	

For full electric track specifications, please refer to Electric Track Systems Catalogue.

 Light-weight applications	 Medium-weight applications	 Heavy-duty applications
---	--	---

Supplied by

SG-S SILENTGLISS SPARES
SILENTGLISS SYSTEMS

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528



www.silentgliss.co.uk

www.silentglissglobal.com

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 863571
Fax: +44 (0) 1843 864503
info@silentgliss.co.uk

Silent Gliss Global Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 874250
Fax: +44 (0) 1843 874457
info@silentglissglobal.com