

Pleated Blind Systems



Supplied by


SG-S SILENTGLISS SPARES
SILENTGLISS SYSTEMS

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528



Pleated Blind Systems

Silent Gliss® 8500



Product Information

- Acknowledged as technically the most advanced and the most reliable system on the market.
- Comprehensive range of shapes and stacking for all uses including conservatories and roof lights.
- Small stacking dimension makes it ideal for restricted areas, (can be fitted inside frame giving better heat reflection).
- Varied operating methods including electric.
- Attractive fabric range including blackout and aluminium backing for heat reflection. 20mm pleats; all are washable and anti-static.
- Delivered made-to-measure to your exact requirements.
- White headrail and components as standard. Silver anodised and powder-coated brown (RAL no. 8022) available at no extra cost with brackets to match.
- Radio control option available.



8500

Pleated Blinds


Please see details in the current Pleated Blind Collection.

How to Measure

Measurements should be undertaken by a fully trained Silent Gliss specialist.

System Options and Dimensions

A: Vertical-freehanging




200 cm*



250 cm*

B: Vertical-side-guide




125 cm*



250 cm*

D: Inclined




125 cm*



250 cm*

P: Horizontal



250 cm*




400 cm*

*not all shapes.


Fitting Information




8500




D1




W2




S1




S3




W1



K1



S2



M1

- D1: Standard - Top fix
- W1: Standard - Wall fix
- W2: Wall fix - extension bracket
- K1: Wall fix - PVC windows
- S1: Inside recess fix 90° / 96° with side-guide profile
- S2: Inside recess fix 105° with side-guide profile
- S3: Inside recess fix - U shape with side-guide profile
- M1: Mounting profile

Supplied by





SG-S SILENTGLISS SPARES
SILENTGLISS SYSTEMS

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528

Blind Type

Operation

Model



Supplied by

















































SG-S SILENTGLISS SPARES
SILENTGLISS SYSTEMS

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528

Blind Type

Operation

Model



8500

Supplied by

SG-S SILENTGLISS SPARES
SILENTGLISS SYSTEMS

www.sg-s.co.uk email: sales@sg-s.co.uk tel: 01395 232528



www.silentgliss.co.uk

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
Great Britain
CT10 2PT

Tel: 0044 (0) 1843 863571
Fax: 0044 (0) 1843 864503
sales@silentgliss.co.uk